

Use the "Select Text" tool
to Cut & Paste into your
document.



DOUBLE SIDED PYLONS

DESCRIPTION

Double Sided Pylons: Double faced Vista frame extrusions designed to be floor mounted on free standing or fixed bases in the configuration indicated.

MANUFACTURERS

- A. Acceptable Manufacturer: Vista System Inc.; 4545 Mariotti Ct., Unit C, Sarasota, FL 34233. ASD. Toll Free: 800-468-4782, Phone: 941-927-3312. Fax: 888-316-5198. Local Dealer: Purpose1 Identity Solutions, 2225 Sycamore St., Harrisburg, PA 17111. Phone: 717-232- 9077. Fax: 717-232-6040. Web Site: www.vistasystem.com , www.idsolutions1.com
- B. Substitutions: Not permitted.
- C. Requests for substitutions will be considered in accordance with provisions of Section 01600.

DOUBLE SIDED PYLONS

- A. Double Sided Pylon: Extruded Aluminum of the sizes specified. This sign/product includes assembly.
 - 1. Style/Size:
 - a. VA4, overall radius width is 8.46 inches (215 mm).
 - 1) Design:
 - a) Slim.
 - b) Wide.
 - 2) Type:
 - a) Floor Mounted.
 - b) Free Standing.
 - 3) Overall sign height is ____ inches (____ mm).
 - 4) Sign is divided into __ sections from top to bottom as follows:
 - a) ____ upper post mounted section at __ inches high.
 - b) ____ upper section(s) at __ inches high.
 - c) ____ section(s) at __ inches high.
 - d) ____ lower section(s) at __ inches high each.
 - 5) Provide divider strips between each section.
 - b. V Letter, overall radius width is 8.50 inches (216 mm).
 - 1) Design:
 - a) Slim.
 - b) Wide.
 - 2) Type:
 - a) Floor Mounted.
 - b) Free Standing.
 - 3) Overall sign height is ____ inches (____ mm).
 - 4) Sign is divided into __ sections from top to bottom as follows:
 - a) ____ upper post mounted section at __ inches high.

- b) ___ upper section(s) at ___ inches high.
 - c) ___ section(s) at ___ inches high.
 - d) ___ lower section(s) at ___ inches high each.
 - 5) Provide divider strips between each section.
- c. V300, overall radius width is 11.81 inches (300 mm).
 - 1) Design:
 - a) Slim.
 - b) Wide.
 - 2) Type:
 - a) Floor Mounted.
 - b) Free Standing.
 - 3) Overall sign height is ___ inches (___ mm).
 - 4) Sign is divided into ___ sections from top to bottom as follows:
 - a) ___ upper post mounted section at ___ inches high.
 - b) ___ upper section(s) at ___ inches high.
 - c) ___ section(s) at ___ inches high.
 - d) ___ lower section(s) at ___ inches high each.
 - 5) Provide divider strips between each section.
- d. V400, overall radius width is 15.74 inches (400 mm). Size _____ inches portrait height.
 - 1) Design:
 - a) Slim.
 - b) Wide.
 - 2) Type:
 - a) Floor Mounted.
 - b) Free Standing.
 - 3) Overall sign height is ___ inches (___ mm).
 - 4) Sign is divided into ___ sections from top to bottom as follows:
 - a) ___ upper post mounted section at ___ inches high.
 - b) ___ upper section(s) at ___ inches high.
 - c) ___ section(s) at ___ inches high.
 - d) ___ lower section(s) at ___ inches high each.
 - 5) Provide divider strips between each section.
- e. V500, overall radius width is 19.68 inches (500 mm).
 - 1) Design:
 - a) Slim.
 - b) Wide.
 - 2) Type:
 - a) Floor Mounted.
 - b) Free Standing.
 - 3) Overall sign height is ___ inches (___ mm).
 - 4) Sign is divided into ___ sections from top to bottom as follows:
 - a) ___ upper post mounted section at ___ inches high.
 - b) ___ upper section(s) at ___ inches high.
 - c) ___ section(s) at ___ inches high.
 - d) ___ lower section(s) at ___ inches high each.
 - 5) Provide divider strips between each section.
- f. V600, overall radius width is 23.62 inches (600 mm). Size _____ inches portrait height.
 - 1) Design:
 - a) Slim.
 - b) Wide.
 - 2) Type:
 - a) Floor Mounted.
 - b) Free Standing.
 - 3) Overall sign height is ___ inches (___ mm).

- 4) Sign is divided into ___ sections from top to bottom as follows:
 - a) ___ upper post mounted section at ___ inches high.
 - b) ___ upper section(s) at ___ inches high.
 - c) ___ section(s) at ___ inches high.
 - d) ___ lower section(s) at ___ inches high each.
- 5) Provide divider strips between each section.
2. Aluminum Frame Finish:
 - a. Silver, Clear Anodized.
 - b. Black Anodized.
 - c. Custom Colors _____.
3. Divider Strip Color:
 - a. Black.
 - b. Blue.
 - c. Silver.
 - d. Yellow.
 - e. White.
 - f. Custom Colors _____.
4. Clear cover for extrusion, polycarbonate, glossy one side, non-glare one side.
5. End Caps for Extrusions: Provided with matching screws
 - a. Plastic (ABS).
 - 1) Color: Black.
 - 2) Color: Gray.
 - b. Metal: Brushed aluminum.
 - 1) Finish: Clear Anodized.
 - 2) Finish: Black Anodized.
 - 3) Finish: Custom Painted Colors _____.
6. Steel base:
 - a. Free standing units, oval shaped base:
 - 1) Slim design for double sided sign.
 - 2) Wide design for double sided sign.
 - b. Floor mounted units:
 - 1) Slim design for double sided sign.
 - 2) Wide design for double sided sign.
 - c. Finish:
 - 1) Black (Paint).
 - 2) Optional Color: _____.

EXECUTION

- A. EXAMINATION
 1. Do not begin installation until substrates have been properly prepared.
 2. If substrate preparation is the responsibility of another installer, notify Architect of unsatisfactory preparation before proceeding.
- B. PREPARATION
 1. Clean surfaces thoroughly prior to installation.
 2. Prepare surfaces using the methods recommended by the manufacturer for achieving the best result for the substrate under the project conditions.
- C. INSTALLATION
 1. Install in accordance with manufacturer's instructions.
 2. Locate signs in accordance with approved shop drawings and ADA requirements.
 3. Install signs after surfaces to receive signage are finished.
- D. PROTECTION

1. Protect installed products until completion of project.
2. Touch-up, repair or replace damaged products before Substantial Completion.

SAMPLE SCHEDULE (Edit as Needed)

Room ID	Vista Stock #	Size	Mounting/Location	Copy/Remarks
Office Doors	WFP22U	Helvetica/1 inch	Door	Room Name/Black Face White Letters
Service Rooms	WFP22U	Helvetica/1 inch	Door	Room Name/Black Face White Letters
Rest Rooms	WFP25U	Helvetica/1 inch	Door	3 inch Graphic/Men, Woman Black Face White Letters

For Questions and More Information Call Mike at 800.318.9070



Division of:

Purpose1, Inc.
2225 Sycamore Street
Harrisburg, PA 17111

717.232.9077
717.232.6040 fax

mike@purpose1.com

www.IDsolutions1.com