

Use the "Select Text" tool  
to Cut & Paste into your  
document.



## SUSPENDED FRAMES

---

### DESCRIPTION

Suspended Frames: Double faced Vista frame extrusions designed to be suspended as indicated.

### MANUFACTURERS

- A. Acceptable Manufacturer: Vista System Inc.; 4545 Mariotti Ct., Unit C, Sarasota, FL 34233. ASD. Toll Free: 800-468-4782, Phone: 941-927-3312. Fax: 888-316-5198. Local Dealer: Purpose1 Identity Solutions, 2225 Sycamore St., Harrisburg, PA 17111. Phone: 717-232- 9077. Fax: 717-232-6040. Web Site: [www.vistasystem.com](http://www.vistasystem.com) , [www.idsolutions1.com](http://www.idsolutions1.com)
- B. Substitutions: Not permitted.
- C. Requests for substitutions will be considered in accordance with provisions of Section 01600.

### SUSPENDED FRAMES

- A. Suspended Sign - Double Sided Landscape Series: Extruded Aluminum of the sizes specified. This sign/product includes assembly.
  - 1. Style/Size:
    - a. V60, overall radius width of 2.36 inches (60 mm). Size \_\_\_\_\_ inches landscape width.
    - b. V80, overall radius width is 3.15 inches (80 mm). Size \_\_\_\_\_ inches landscape width.
    - c. V100, overall radius width is 3.93 inches (100 mm). Size \_\_\_\_\_ inches landscape height.
    - d. V120, overall radius width is 4.72 inches (120 mm). Size \_\_\_\_\_ inches landscape height.
    - e. V150, overall radius width is 5.90 inches (150 mm). Size \_\_\_\_\_ inches landscape height.
    - f. V200, overall radius width is 7.87 inches (200 mm). Size \_\_\_\_\_ inches landscape height.
    - g. VA4, overall radius width is 8.46 inches (215 mm). Size \_\_\_\_\_ inches landscape height.
    - h. V-Letter, overall radius width is 8.50 inches (216 mm). Size \_\_\_\_\_ inches landscape height.
    - i. V300, overall radius width is 11.81 inches (300 mm). Size \_\_\_\_\_ inches landscape height.
    - j. V400, overall radius width is 15.74 inches (400 mm). Size \_\_\_\_\_ inches landscape height.
    - k. V500, overall radius width is 19.68 inches (500 mm). Size \_\_\_\_\_ inches landscape height.
    - l. V600, overall radius width is 23.62 inches (600 mm). Size \_\_\_\_\_

- inches landscape height.
- 2. Aluminum Frame Finish:
  - a. Silver, Clear Anodized.
  - b. Black Anodized.
  - c. Custom Colors \_\_\_\_\_.
- 3. Clear cover for extrusion, polycarbonate, glossy one side, non-glare one side.
- 4. End Caps for Extrusions: Provided with matching screws
  - a. Plastic (ABS).
    - 1) Color: Black.
    - 2) Color: Gray.
  - b. Metal: Brushed aluminum.
    - 1) Finish: Clear Anodized.
    - 2) Finish: Black Anodized.
    - 3) Finish: Custom Painted Colors \_\_\_\_\_.
- 5. Stainless steel suspension cables, two at \_\_\_ feet (\_\_\_ mm) long.
- 6. Cable clamps.
- 7. Ceiling cable fastener, silver.

B. Suspended Sign - Double Sided Landscape Multi-Tier Series: Extruded Aluminum of the sizes specified. This sign/product includes assembly.

- 1. Style/Size:
  - a. V60, overall radius width of 2.36 inches (60 mm).
    - 1) Overall depth of \_\_\_\_\_ inches.
    - 2) Size \_\_\_\_\_ inches landscape width.
  - b. V80, overall radius width is 3.15 inches (80 mm).
    - 1) Overall depth of \_\_\_\_\_ inches.
    - 2) Size \_\_\_\_\_ inches landscape width.
  - c. V100, overall radius width is 3.93 inches (100 mm).
    - 1) Overall depth of \_\_\_\_\_ inches.
    - 2) Size \_\_\_\_\_ inches landscape width.
  - d. V120, overall radius width is 4.72 inches (120 mm).
    - 1) Overall depth of \_\_\_\_\_ inches.
    - 2) Size \_\_\_\_\_ inches landscape width.
  - e. V150, overall radius width is 5.90 inches (150 mm).
    - 1) Overall depth of \_\_\_\_\_ inches.
    - 2) Size \_\_\_\_\_ inches landscape width.
  - f. V80 / 2 V60, overall radius width is 3.15 inches (80 mm) and 2.36 inches (60 mm) respectively.
    - 1) Overall depth of 7.87 inches (200 mm) with one upper V80 and 2 V60 lower radius width frames.
    - 2) Size \_\_\_\_\_ inches landscape width.
  - g. V200, overall radius width is 7.87 inches (200 mm).
    - 1) Overall depth of 15.74 inches (400 mm) with two V200 radius width frames.
    - 2) Size \_\_\_\_\_ inches landscape width.
  - h. VA4, overall radius width is 8.46 inches (215 mm).
    - 1) Overall depth of 16.92 inches (430 mm) with two VA4 radius width frames.
    - 2) Size \_\_\_\_\_ inches landscape width.
  - i. V200 / 2 V120, overall radius width is 7.87 inches (200 mm) and 4.72 inches (120 mm) respectively.
    - 1) Overall depth of 17.31 inches (440 mm) with one upper V200 and 2 lower V120 radius width frames.
    - 2) Size \_\_\_\_\_ inches landscape width.
  - j. VA4 / 2 V120, overall radius width is 8.46 inches (215 mm) and 4.72

inches (120 mm) respectively.

- 1) Overall depth of 17.90 inches (455 mm) with one upper VA4 and 2 lower V120 radius width frames.
- 2) Size \_\_\_\_\_ inches landscape width.
- k. V-Letter, overall radius width is 8.50 inches (216 mm).
  - 1) Overall depth of 17 inches (432 mm) with two radius width frames.
  - 2) Size \_\_\_\_\_ inches landscape width.
- l. V-Letter / 2 V120, overall radius width is 8.50 inches (216 mm). and 4.72 inches (120 mm) respectively.
  - 1) Overall depth of 17.94 inches (456 mm) with one upper VLetter and two lower V120 radius width frames.
  - 2) Size \_\_\_\_\_ inches landscape width.
2. Aluminum Frame Finish:
  - a. Silver, Clear Anodized.
  - b. Black Anodized.
  - c. Custom Colors \_\_\_\_\_.
3. Clear cover for extrusion, polycarbonate, glossy one side, non-glare one side.
4. End Caps for Extrusions: Provided with matching screws
  - a. Plastic (ABS).
    - 1) Color: Black.
    - 2) Color: Gray.
  - b. Metal: Brushed aluminum.
    - 1) Finish: Clear Anodized.
    - 2) Finish: Black Anodized.
    - 3) Finish: Custom Painted Colors \_\_\_\_\_.
5. Stainless steel suspension cables, two at \_\_\_ feet (\_\_\_ mm) long.
6. Cable clamps.

C. Suspended Sign - Double Sided Portrait Series: Extruded Aluminum of the sizes specified. This sign/product includes assembly.

1. Style/Size:
  - a. V400, overall radius width is 15.74 inches (400 mm). Size \_\_\_\_\_ inches portrait height.
  - b. V500, overall radius width is 19.68 inches (500 mm). Size \_\_\_\_\_ inches portrait height.
  - c. V600, overall radius width is 23.62 inches (600 mm). Size \_\_\_\_\_ inches portrait height.
2. Aluminum Frame Finish:
  - a. Silver, Clear Anodized.
  - b. Black Anodized.
  - c. Custom Colors \_\_\_\_\_.
3. Clear cover for extrusion, polycarbonate, glossy one side, non-glare one side.
4. End Caps for Extrusions: Provided with matching screws
  - a. Metal: Brushed aluminum.
    - 1) Finish: Clear Anodized.
    - 2) Finish: Black Anodized.
    - 3) Finish: Custom Painted Colors \_\_\_\_\_.
5. Stainless steel suspension cables, two at \_\_\_ feet (\_\_\_ mm) long.
6. Cable clamps.
7. Ceiling cable fastener, silver.

D. Suspended Sign - Double Sided Landscape Vista Light Series: Extruded Aluminum of the sizes specified. This sign/product includes assembly.

1. Style/Size:

- a. V250, overall radius width is 10.00 inches (250 mm). Size \_\_\_\_\_ inches landscape height.
  - b. V300, overall radius width is 11.81 inches (300 mm). Size \_\_\_\_\_ inches landscape height.
  - c. V400, overall radius width is 15.74 inches (400 mm). Size \_\_\_\_\_ inches landscape height.
  - d. V500, overall radius width is 19.68 inches (500 mm). Size \_\_\_\_\_ inches landscape height.
  - e. V600, overall radius width is 24.00 inches (600 mm). Size \_\_\_\_\_ inches landscape height.
  - f. V700, overall radius width is 28.00 inches (700 mm). Size \_\_\_\_\_ inches landscape height.
2. Aluminum Frame Finish:
    - a. Silver, Clear Anodized.
    - b. Black Anodized.
    - c. Custom Colors \_\_\_\_\_.
  3. Cover for extrusion, polycarbonate:
    - a. Clear, glossy one side, non-glare one side.
    - b. White translucent, glossy one side, non-glare one side.
  4. End Caps for Extrusions: Provided with matching screws
    - a. Plastic (ABS).
      - 1) Color: Black.
      - 2) Color: Gray.
    - b. Metal: Brushed aluminum.
      - 1) Finish: Clear Anodized.
      - 2) Finish: Black Anodized.
      - 3) Finish: Custom Painted Colors \_\_\_\_\_.
  5. Stainless steel suspension cables, two at \_\_\_ feet (\_\_\_ mm) long.
  6. Cable clamps.
  7. Ceiling cable fastener, silver.

E. Suspended Sign - Double Sided Portrait Vista Light Series: Extruded Aluminum of the sizes specified. This sign/product includes assembly.

1. Style/Size:
  - a. V400, overall radius width is 15.74 inches (400 mm). Size \_\_\_\_\_ inches Portrait height.
  - b. V500, overall radius width is 19.68 inches (500 mm). Size \_\_\_\_\_ inches Portrait height.
  - c. V600, overall radius width is 24.00 inches (600 mm). Size \_\_\_\_\_ inches Portrait height.
  - d. V700, overall radius width is 28.00 inches (700 mm). Size \_\_\_\_\_ inches Portrait height.
2. Aluminum Frame Finish:
  - a. Silver, Clear Anodized.
  - b. Black Anodized.
  - c. Custom Colors \_\_\_\_\_.
3. Clear cover for extrusion, polycarbonate, glossy one side, non-glare one side.
4. End Caps for Extrusions: Provided with matching screws
  - a. Plastic (ABS).
    - 1) Color: Black.
    - 2) Color: Gray.
  - b. Metal: Brushed aluminum.
    - 1) Finish: Clear Anodized.
    - 2) Finish: Black Anodized.
    - 3) Finish: Custom Painted Colors \_\_\_\_\_.

5. Stainless steel suspension cables, two at \_\_\_ feet (\_\_\_ mm) long.
6. Cable clamps.
7. Ceiling cable fastener, silver.

**EXECUTION**

- A. EXAMINATION
  1. Do not begin installation until substrates have been properly prepared.
  2. If substrate preparation is the responsibility of another installer, notify Architect of unsatisfactory preparation before proceeding.
  
- B. PREPARATION
  1. Clean surfaces thoroughly prior to installation.
  2. Prepare surfaces using the methods recommended by the manufacturer for achieving the best result for the substrate under the project conditions.
  
- C. INSTALLATION
  1. Install in accordance with manufacturer's instructions.
  2. Locate signs in accordance with approved shop drawings and ADA requirements.
  3. Install signs after surfaces to receive signage are finished.
  
- D. PROTECTION
  1. Protect installed products until completion of project.
  2. Touch-up, repair or replace damaged products before Substantial Completion.

**SAMPLE SCHEDULE** (Edit as Needed)

Room ID	Vista Stock #	Size	Mounting/Location	Copy/Remarks
Office Doors	WFP22U	Helvetica/1 inch	Door	Room Name/Black Face White Letters
Service Rooms	WFP22U	Helvetica/1 inch	Door	Room Name/Black Face White Letters
Rest Rooms	WFP25U	Helvetica/1 inch	Door	3 inch Graphic/Men, Woman Black Face White Letters

**For Questions and More Information Call Mike at 800.318.9070**



Division of:  
**Purpose 1, Inc.**  
 2225 Sycamore Street  
 Harrisburg, PA 17111

**717.232.9077**  
 717.232.6040 fax

[mike@purpose1.com](mailto:mike@purpose1.com)

[www.IDsolutions1.com](http://www.IDsolutions1.com)