

Use the "Select Text" tool
to Cut & Paste into your
document.



TABLE STANDS

DESCRIPTION

Table Stand Signage: Tables stands are a complete package including convex frame, aluminum base and end cap, clear/non glare lens.

MANUFACTURERS

- A. Acceptable Manufacturer: Vista System Inc.; 4545 Mariotti Ct., Unit C, Sarasota, FL 34233. ASD. Toll Free: 800-468-4782, Phone: 941-927-3312. Fax: 888-316-5198. Local Dealer: Purpose1 Identity Solutions, 2225 Sycamore St., Harrisburg, PA 17111. Phone: 717-232- 9077. Fax: 717-232-6040. Web Site: www.vistasystem.com , www.idsolutions1.com
- B. Substitutions: Not permitted.
- C. Requests for substitutions will be considered in accordance with provisions of Section 01600.

TABLE STANDS

- A. Table Stand - Kangaroo (Portrait) Series: Extruded Aluminum of the sizes specified. This sign/product includes assembly.
 - 1. Style/Size:
 - a. V60, overall radius width is 2.36 inches (60 mm). Size _____ inches overall portrait height.
 - b. V80, overall radius width is 3.15 inches (80 mm). Size _____ inches overall portrait height.
 - c. V100, overall radius width is 3.93 inches (100 mm). Size _____ inches overall portrait height.
 - d. V120, overall radius width is 4.72 inches (120 mm). Size _____ inches overall portrait height.
 - e. V150, overall radius width is 5.90 inches (150 mm). Size _____ inches overall portrait height.
 - f. V200, overall radius width is 7.87 inches (200 mm). Size _____ inches overall portrait height.
 - g. VLetter, overall radius width is 8.50 inches (216 mm). Size _____ inches overall portrait height.
 - h. V300, overall radius width is 11.81 inches (300 mm). Size _____ inches overall portrait height.
 - 2. Aluminum Frame Finish:
 - a. Silver, Clear Anodized.
 - b. Black Anodized.
 - c. Custom Colors _____.
 - 3. Clear cover for extrusion, polycarbonate, glossy one side, non-glare one side.

4. End Caps for Extrusions: Provided with matching screws
 - a. Plastic (ABS).
 - 1) Color: Black.
 - 2) Color: Gray.
 - b. Metal: Brushed aluminum.
 - 1) Finish: Clear Anodized.
 - 2) Finish: Black Paint.
 - 3) Finish: Custom Colors _____.
5. Aluminum base for Kangaroo style tabletop design.
 - 1) Clear Anodized.
 - 2) Gold Anodized.
 - 3) Black Anodized.
 - 4) Custom Colors _____.

B. Table Stand - Boomerang (Landscape) Series: Extruded Aluminum of the sizes specified. This sign/product includes assembly.

1. Style/Size:
 - a. V60, overall radius width is 2.36 inches (60 mm). Size _____ inches overall landscape width.
 - b. V80, overall radius width is 3.15 inches (80 mm). Size _____ inches overall landscape width.
 - c. V100, overall radius width is 3.93 inches (100 mm). Size _____ inches overall landscape width.
 - d. V120, overall radius width is 4.72 inches (120 mm). Size _____ inches overall landscape width.
 - e. V150, overall radius width is 5.90 inches (150 mm). Size _____ inches overall landscape width.
 - f. V200, overall radius width is 7.87 inches (200 mm). Size _____ inches overall landscape width.
 - g. VLetter, overall radius width is 8.50 inches (216 mm). Size _____ inches overall landscape width.
2. Aluminum Frame Finish:
 - a. Silver, Clear Anodized.
 - b. Black Anodized.
 - c. Custom Colors _____.
3. Clear cover for extrusion, polycarbonate, glossy one side, non-glare one side.
4. End Caps for Extrusions: Provided with matching screws
 - a. Metal: Brushed aluminum.
 - 1) Finish: Clear Anodized.
 - 2) Finish: Gold Anodized.
 - 3) Finish: Black Paint.
 - 4) Finish: Custom Colors _____.
5. Aluminum base for Kangaroo style tabletop design.
 - 1) Clear Anodized.
 - 2) Black Anodized.
 - 3) Custom Colors _____.

C. Table Stand - Triangle (Landscape) Series: Extruded Aluminum of the sizes specified. This sign/product includes assembly.

1. Style/Size:
 - a. TS30, Size _____ inches overall landscape width.
2. Aluminum Frame Finish:
 - a. Silver, Clear Anodized.
 - b. Black Anodized.
 - c. Custom Colors _____.
3. Clear cover for extrusion, polycarbonate, glossy one side, non-glare one side.

4. End Caps for Extrusions: Provided with matching screws
 - a. Plastic (ABS).
 - 1) Color: Black.
 - 2) Color: Gray.

EXECUTION

A. EXAMINATION

1. Do not begin installation until substrates have been properly prepared.
2. If substrate preparation is the responsibility of another installer, notify Architect of unsatisfactory preparation before proceeding.

B. PREPARATION

1. Clean surfaces thoroughly prior to installation.
2. Prepare surfaces using the methods recommended by the manufacturer for achieving the best result for the substrate under the project conditions.

C. INSTALLATION

1. Install in accordance with manufacturer's instructions.
2. Locate signs in accordance with approved shop drawings and ADA requirements.
3. Install signs after surfaces to receive signage are finished.

D. PROTECTION

1. Protect installed products until completion of project.
2. Touch-up, repair or replace damaged products before Substantial Completion.

SAMPLE SCHEDULE (Edit as Needed)

Room ID	Vista Stock #	Size	Mounting/Location	Copy/Remarks
Office Doors	WFP22U	Helvetica/1 inch	Door	Room Name/Black Face White Letters
Service Rooms	WFP22U	Helvetica/1 inch	Door	Room Name/Black Face White Letters
Rest Rooms	WFP25U	Helvetica/1 inch	Door	3 inch Graphic/Men, Woman Black Face White Letters

For Questions and More Information Call Mike at 800.318.9070



Division of:
Purpose1, Inc.
 2225 Sycamore Street
 Harrisburg, PA 17111

717.232.9077
 717.232.6040 fax

mike@purpose1.com

www.IDsolutions1.com